

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-PRF-24667
COATING SYSTEM, NON-SKID, FOR ROLL OR
SPRAY APPLICATION (METRIC)

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the contractor from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SEA SYSTEMS COMMAND, SEA 05Q, 1333 ISSAC HULL AVE SE, WASHINGTON NAVY YARD, DC 20376-5160.

MIL-PRF-24667A

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION			TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME Addresses: Last Page
	Non Skid	Primers	Clr Topping		
Type I COMP G	Amercoat 138HR	Amercoat 137	Amercoat 929	JMR-138HR-94	Ameron International Performance Coatings & Finishes Group
Type I COMP G	MS-400G	MS-10C, MS-7C or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN1-5	ITW American Safety Technologies
Type I COMP G	MS-440G	MS-10C, MS-7C or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN1-5	ITW American Safety Technologies
Type I COMP G	MS-400G LSA	MS-7CZ	MS-180 or MS-200	LN1-5, ASTI Ltr. of 8/29/02 w/lot test results	ITW American Safety Technologies
Type I COMP G	MS-400G-LT	MS-7CZ	MS-180 or MS-200	LN1-5 Ship Test USS WASP (LHD-1)	ITW American Safety Technologies

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION			TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME Addresses: Last Page
	Non Skid	Primers	Clr Topping		
Type I COMP G	MS-660G UV/LSA	MS-7C, MS-7CZ Or MS-10C (Gray & Buff)	MS-180 or MS-200	LN1-7, Ship Test USS FLETCHER (DD- 992)	ITW American Safety Technologies
(The MS-660G UV/LSA, Type I, COMP G is for Use on Exterior Ship Decks with the Exception of CV, CVN, LHA, and LHD Hangar Decks and Flight Decks)					
Type I COMP G	Intershield 556 (PRA561 /PRA562 UV/LSA	Intergard 264 (FP Series)	Interthane 990 (PH Series)	Test Rpt. 950088-1 Akzo Nobel Ltr of 7/19/99; Ship Test USS FLETCHER (DD- 992)	International Paint Co., Inc./Akzo Nobel 6001 Antoine Dr. Houston, TX 77091
(The Intershield 556 (PRA561/PRA562 UV/LSA, Type I, COMP G is for Use on Exterior Ship Decks with the Exception of CV, CVN, LHA, and LHD Hangar Decks and Flight Decks)					
Type I COMP L	MS-400G-L	MS-10C, MS-7C or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN1-5	ITW American Safety Technologies
Type I COMP L	MS-400L-LT	MS-7CZ	MS-180 or MS-200	LN1-5 Ship Test USS ENTERPRISE (CVN-65)	ITW American Safety Technologies
Type II Comp G	Amercoat 138HR	Amercoat 137	Amercoat 929	JMR-138HR-94	Ameron International Performance Coatings & Finishes Group
Type II COMP G	MS-375G	MS-10C, MS-7C or MS-7CZ (Gray & Buff)	MS 180 or MS-200	LN1-5	ITW American Safety Technologies
	MS-440G	MS-10C, MS-7C or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN1-5	ITW American Safety Technologies
Type II Comp G	MS-660G UV/LSA	MS-7C, MS-10C or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN1-7 Ship Test USS RUSSELL (DDG59)	ITW American Safety Technologies
Type II COMP G	Intershield 556 (PRA561/ PRA562 LSA- UV Resistant)	Intergard 264 (FP Series)	Interthane 990 (PH Series)	Test Rpt. 950088-1 Akzo Nobel Ltr of 7/19/99 Ship Test USS FLETCHER	International Paint Co., Inc./ Akzo Nobel
Type II COMP L	Amercoat 138AR	Amercoat 137	Amercoat 929	JMR-138AR-94	Ameron International Performance Coatings & Finishes Group
Type II COMP L	MS-375L	MS-10C, MS-7C or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN1-5	ITW American Safety Technologies
	MS-440L	MS-10C, MS-7C or MS-7CZ	MS-180 or MS-200	LN1-5	ITW American Safety

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION			TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME Addresses: Last Page
	Non Skid	Primers	Clr Topping		
		(Gray & Buff)			Technologies
Type III Comp G	MS-660G UV/LSA	MS-7C, MS-10C or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN1-7 Ship Test USS RUSSELL (DDG59)	ITW American Safety Technologies
Type III COMP G	MS-880G Membrane: MS-1600	MS-7C, MS-10C or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN-1-10 Ship Test USS SIMPSON (FFG-56)	ITW American Safety Technologies
Type III COMP G	Intershield 556 (PRA561/ PRA562 LSA UV Resistant) Membrane: Intershield 259	Intershield 159	Intershield 508	Test Rpt. 950088-1 NSWC Fire Test Results of 10/28/97	International Paint Co., Inc./ Akzo Nobel
Type IV COMP G	Amercoat 138HR	Amercoat 137 (Gray)	Amercoat 929 (Gray)	JMR-138HR AMDS 1 & 2	Ameron International Performance Coatings & Finishes Group
Type IV COMP G	MS-2000	MS-7C, MS-10C (Buff & Gray) or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN1-5	ITW American Safety Technologies
	MS-375G	MS-7C, MS-10C (Buff & Gray) or MS-7CZ (Gray & Buff)	MS-180 or MS-200	LN1-5	ITW American Safety Technologies

MANUFACTURER'S CORPORATE AND PLANT ADDRESSES

Ameron International
Performances Coatings
& Finishes Group
13010 Morris Road
Suite 400
Alpharetta, GA 30004
Plant:
11605 Vimy Ridge Road
Alexander, AR 72202
CAGE: 07FX1

International Paint Co., Inc./
Akzo Nobel
6001 Antoine Drive
Houston, TX 77091
Plants:
2270 Morris Avenue
Union, NJ 07083
(CAGE: 26351)
6001 Antoine Drive
Houston, TX 77091
CAGE: 69827

ITW American Safety Technologies
565 Eagle Rock Avenue
Roseland, NJ 07068
Plant: Same address
CAGE: 88444